

NSF International

789 N. Dixboro Road, Ann Arbor, MI 48105 USA

RECOGNIZES

Aignep S.P.A.

Facility: Bione (BS), Italy

AS COMPLYING WITH NSF/ANSI 169 AND ALL APPLICABLE REQUIREMENTS.

PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE
AUTHORIZED TO BEAR THE NSF MARK.



ANSI Accredited Program
PRODUCT CERTIFICATION
#6216
Certification Program
Accredited by the
American National
Standards Institute



Certification Program
Accredited by the
Standards Council
of Canada

This certificate is the property of NSF International and must be returned upon request. This certificate remains valid as long as this client has products in Listing for the referenced standards. For the most current and complete Listing information, please access NSF's website (www.nsf.org).

May 26, 2017

Certificate# C0037212 - 03

Sarah Krol

Global Managing Director, Food Safety Product Certification



OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of
NSF/ANSI 169 - Special Purpose Food Equipment and Devices

This is the Official Listing recorded on August 31, 2020.

Aignep S.P.A.
Via Don G. Bazzoli, 34
25070 Bione (BS)
Italy
39 03 658 96626

Facility: Bione (BS), Italy

Food Grade Fittings - 60000 Series^[1]

60000(1)(2)	60005(1)(2)	60006(1)(2)	60015(1)(2)	60020(1)(2)
60030(1)(2)	60040(1)(2)	60050(1)(2)	60106(1)(2)	60106X(1)(2)
60110(1)(2)	60110X(1)(2)	60111(1)(2)	60111X(1)(2)	60115(1)(2)
60115X(1)(2)	60116(1)(2)	60130(1)(2)	60130X(1)(2)	60210(1)(2)
60210X(1)(2)	60211(1)(2)	60211X(1)(2)	60215(1)(2)	60215X(1)(2)
60216(1)(2)	60230(1)(2)	60230X(1)(2)	60310X(1)(2)	60600(1)(2)
60700(1)(2)	60820(1)(2)	61005(1)(2)	61020(1)(2)	61040(1)(2)
61050(1)(2)	61100(1)(2)	61115(1)(2)	61130(1)(2)	61200(1)(2)
61220(1)(2)	61230(1)(2)	61700(1)(2)	62000(1)(2)	62005(1)(2)
62020(1)(2)	62040(1)(2)	62080(1)(2)	62092(1)(2)	62300(1)(2)
62310(1)(2)	62315(1)(2)	62320(1)(2)	62340(1)(2)	62355(1)(2)
62400(1)(2)	62420(1)(2)	62430(1)(2)	62440(1)(2)	62450(1)(2)
62500(1)(2)	62510(1)(2)	62520(1)(2)	62600(1)(2)	62610(1)(2)
63220(1)(2)	66300(1)(2)	66310(1)(2)	66560(1)(2)	66570(1)(2)
69200(1)(2)	69220(1)(2)	69260(1)(2)	69280(1)(2)	69460(1)(2)
69480(1)(2)	69485(1)(2)	69680(1)(2)	69740(1)(2)	FE004(1)(2)

Food Grade Fittings - Brass 59000 Range^[1] [Pb]

59005(1)(2)	59020(1)(2)	59030(1)(2)	59040(1)(2)	59100(1)(2)
59111(1)(2)	59116(1)(2)	59130(1)(2)	59211(1)(2)	59216(1)(2)
59223(1)(2)	59226(1)(2)	59230(1)(2)		

Food Grade Fittings for Food Zone^[2] [3]

70000 (1)(2)	70010 (1)(2)	70020 (1)(2)	70030 (1)(2)	70040 (1)(2)
70050 (1)(2)	70100 (1)(2)	70106 (1)(2)	70116 (1)(2)	70126 (1)(2)
70130 (1)(2)	70200 (1)(2)	70216 (1)(2)	70226 (1)(2)	70230 (1)(2)
70310 (1)(2)	70500 (1)(2)	70505 (1)(2)	70510 (1)(2)	70550 (1)(2)
70560 (1)(2)	70600 (1)(2)	70610 (1)(2)	70625 (1)(2)	70700 (1)(2)
71000 (1)(2)	71010 (1)(2)	71015 (1)(2)	71020 (1)(2)	71021 (1)(2)
71030 (1)(2)	71040 (1)(2)	71050 (1)(2)	71100 (1)(2)	71101 (1)(2)
71110 (1)(2)	71115 (1)(2)	71120 (1)(2)	71130 (1)(2)	71200 (1)(2)
71210 (1)(2)	71215 (1)(2)	71220 (1)(2)	71230 (1)(2)	71300 (1)(2)
71410 (1)(2)	71420 (1)(2)	71430 (1)(2)	71500 (1)(2)	71510 (1)(2)
71700 (5)(6)FG	71703 (5)(6)FG	LG71410 (3)(4)	LG71500 (3)(4)	

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



- [1] (1) 2 digits indicating seal variant
(2) 3 digits indicating size
- [2] (1) 2 digits indicating seal variant
(2) 3 digits indicating size
(3) 1 digit indicating seal variant
(4) 2 digits indicating size
(5) 3 digits indicating special variant
(6) 3 digits indicating size
- [3] Certified for use as part of a food equipment item with a resulting overall weighted average lead content of $\leq 0.25\%$ in the water contact portion of the equipment.
- [Pb] Product also evaluated and determined to possess weighted average lead content of $\leq 0.25\%$ and complies with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.

2 of 2